

Reference List: Stand Up - School

- 1. Jensen, E. (2005). Chapter 4. Movement and Learning. Teaching with the Brain in Mind. (2nd ed.).
- 2. Centers for Disease Control and Prevention. (2010). <u>The Association Between School-Based Physical Activity, Including Physical Education,</u> and Academic Performance.
- 3. Centers for Disease Control and Prevention. (2017). Childhood Obesity Facts.
- 4. Ogden, C. L., Carroll, M. D., Kit, B. K., & Flegal, K. M. (2014). Prevalence of childhood and adult obesity in the United States, 2011–2012. Journal of the American Medical Association, 311.8, 806–814.
- 5. Duvivimer, B.M., et al. (2013). Minimal Intensity Physical Activity (Standing and Walking) of Longer Duration Improves Insulin Action and Plasma Lipids More than Shorter Periods of Moderate to Vigorous Exercise (Cycling) in Sedentary Subjects When Energy Expenditure Is Comparable. PLoS ONE, 8.2.
- 6. Duvivier B. M. F. M., et al. (2016). <u>Breaking sitting with light activities vs structured exercise: a randomised crossover study demonstrating benefits for glycaemic control and insulin sensitivity in type 2 diabetes.</u> Diabetologia.
- Centers for Disease Control and Prevention. (2014). <u>Key Findings: Trends in the Parent-Report of Health Care Provider-Diagnosis and Medication Treatment for ADHD: United States, 2003—2011.</u>
- 8. Active Living Research. (2013). Do Short Physical Activity Breaks in Classrooms Work?
- 9. Wendel, M. L., Benden, M. E., Zhao, H., & Jeffrey, C. (2016). <u>Stand-Biased Versus Seated Classrooms and Childhood Obesity: A Randomized Experiment in Texas</u>. American Journal of Public Health, 106.10, 1849–1854.
- 10. Benden, M. E., Blake, J. J., Wendel, M. L., & Huber, J. C. (2011). <u>The Impact of Stand-Biased Desks in Classrooms on Calorie Expenditure in Children</u>. American Journal of Public Health, 101.8, 1433-1436.